

NT1

Solvent for use with Gloss Enamel, Gloss Varnish and Primer & Undercoat

PRODUCT DESCRIPTION

Nautical NT1 is a thinner and equipment cleaner to be used in association with Nautical Gloss Enamel, Nautical Gloss Varnish and Nautical Primer & Undercoat

PRODUCT INFORMATION

Product Code	NAU001
Typical Shelf Life	2 years
VOC (as supplied)	782 g/lit
Unit Size	1lt

APPLICATION AND USE

Application When using for surface wipe down, turn the cloth frequently to avoid re-applying residues.

Ventilation and Humidity Control Apply in dry, well ventilated conditions.

Compatibility/Substrates Compatible with Nautical Gloss Enamel, Nautical Gloss Varnish and Nautical Primer & Undercoat.

TRANSPORTATION, STORAGE AND SAFETY INFORMATION

Storage

GENERAL INFORMATION

Exposure to air and extremes of temperature should be avoided. For the full shelf life of the product to be realised ensure that between use the container is firmly closed and the temperature is between 5°C/41°F and 35°C/95°F. Keep out of direct sunlight.

TRANSPORTATION

The product should be kept in securely closed containers during transport and storage.

Safety

GENERAL

Read the label safety section for Health and Safety Information.

DISPOSAL

Do not discard tins or pour paint into water courses, use the facilities provided. It is best to allow paints to harden before disposal. Remainders of this product cannot be disposed of through the municipal waste route or dumped without permit. Disposal of remainders must be arranged for in consultation with the authorities.

IMPORTANT NOTES

The information given in this sheet is not intended to be exhaustive. Any person using the product without first making further written enquiries as to the suitability of the product for the intended purpose does so at their own risk and we can accept no responsibility for the performance of the product or for any loss or damage (other than death or personal injury resulting from negligence) arising out of such use. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development.